


ELECTRIC DRIVES LINE



OMARLIFT


ELECTRIC DRIVES LINE

STELVIO GEARLESS

RESEGONE GEARLESS

MONVISO GEARED

OLIMPO GEARED



OMARLIFT SRL comes from a past on which has been able to build, through great and important changes, its present image always endeavouring to keep in sight its target: to realize quality products and to provide efficient services.

We want to look ahead, without forgetting our past (that we proudly claim) but concentrating on what we will do today to build our tomorrow.

Together with the present leading managers we invested in a firm willing to find in its own identity the main reason of pride and the right push to go on with passion and to progress with its customers and partners.

Our history and roots are a boost for our future to find its fulfilment in the company growth via the excellence of the offered service so that all the passion spent in making very good products can combine with the determination to be always a reference for our market.

OMARLIFT, elevate for passion.



ALESSANDRO MORDINI
CEO



STELVIO GEARLESS

PULLEY 210

320 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,20	2,00	2,40	3,10	3,90	4,90
IN	3,70	5,20	5,90	7,80	9,80	12,20
POLE	20P - 19,16	20P - 30,32	20P - 36,38	20P - 48,50	20P - 60,63	20P - 75,79
REVOLUTION	115	182	218	291	364	455
400 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,50	2,40	2,90	3,90	4,90	6,10
IN	4,70	6,50	7,30	9,80	12,20	15,30
POLE	20P - 19,16	20P - 30,32	20P - 36,38	20P - 48,50	20P - 60,63	20P - 75,79
REVOLUTION	115	182	218	291	364	455
480 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,20	2,00	2,40	3,10	3,90	4,90
IN	3,70	5,20	5,90	7,80	9,80	12,20
POLE	20P - 19,16	20P - 30,32	20P - 36,38	20P - 48,50	20P - 60,63	20P - 75,79
REVOLUTION	115	182	218	291	364	455
630 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	2,40	3,90	4,60	6,20	7,70	9,60
IN	7,40	10,20	11,60	15,40	19,30	24,10
POLE	20P - 19,16	20P - 30,32	20P - 36,38	20P - 48,50	20P - 60,63	20P - 75,79
REVOLUTION	115	182	218	291	364	455
800 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	3,10	4,90	5,90	7,80	9,80	12,20
IN	9,40	13,00	14,70	19,60	24,50	30,60
POLE	20P - 19,16	20P - 30,32	20P - 36,38	20P - 48,50	20P - 60,66	20P - 75,79
REVOLUTION	115	182	218	291	364	455
1000 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	3,90	6,10	7,40	9,80	12,20	15,30
IN	11,70	16,30	18,40	24,50	30,60	38,30
POLE	20P - 19,16	20P - 30,33	20P - 36,38	20P - 48,50	20P - 60,66	20P - 75,79
REVOLUTION	115	182	218	291	364	455
1275 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	4,90	7,80	9,40	12,50	15,60	19,50
IN	3,70	5,20	5,90	7,80	9,80	12,20
POLE	20P - 19,16	20P - 30,33	20P - 36,38	20P - 48,50	20P - 60,66	20P - 75,79
REVOLUTION	115	182	218	291	364	455
1600 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	6,20	9,80	11,80	15,70	19,60	24,50
IN	18,47	26,00	29,40	39,20	49,00	61,10
POLE	20P - 19,16	20P - 30,33	20P - 36,38	20P - 48,50	20P - 60,66	20P - 75,79
REVOLUTION	115	182	218	291	364	455

PULLEY 240

320 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,20	2,00	2,40	3,10	3,90	4,90
IN	3,75	5,20	6,20	7,80	9,79	12,24
POLE	20P - 16,71	20P - 26,53	20P - 31,83	20P - 42,44	20P - 53,16	20P - 66,33
REVOLUTION	100	160	191	255	318	398
400 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,50	2,40	2,90	3,90	4,90	6,10
IN	4,68	6,50	7,80	9,80	12,24	15,30
POLE	20P - 16,67	20P - 26,66	20P - 31,83	20P - 42,44	20P - 53,16	20P - 66,33
REVOLUTION	100	160	191	255	318	398
480 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,90	2,90	3,50	4,70	5,90	7,30
IN	5,62	7,80	9,40	11,80	14,69	18,36
POLE	20P - 16,67	20P - 26,66	20P - 31,83	20P - 42,44	20P - 53,16	20P - 66,33
REVOLUTION	100	160	191	255	318	398
630 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	2,40	3,90	4,60	6,20	7,70	9,60
IN	7,38	10,24	12,30	15,40	19,28	24,10
POLE	20P - 16,67	20P - 26,66	20P - 31,83	20P - 42,44	20P - 53,16	20P - 66,33
REVOLUTION	100	160	191	255	318	398
800 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	3,10	4,90	5,90	7,80	9,80	12,20
IN	9,40	13,00	15,60	19,60	24,50	30,60
POLE	20P - 16,66	20P - 26,53	20P - 31,83	20P - 42,44	20P - 53,05	20P - 66,31
REVOLUTION	100	160	191	255	318	398
1000 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	3,90	6,10	7,40	9,80	12,20	15,30
IN	11,70	16,30	19,50	24,50	30,60	38,30
POLE	20P - 16,66	20P - 26,53	20P - 31,83	20P - 42,44	20P - 53,05	20P - 66,31
REVOLUTION	100	160	191	255	318	398
1275 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	4,90	7,80	9,40	12,50	15,60	19,50
IN	14,90	20,70	24,90	31,20	39,00	48,80
POLE	20P - 16,66	20P - 26,53	20P - 31,83	20P - 42,44	20P - 53,05	20P - 66,31
REVOLUTION	100	160	191	255	318	398
1600 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	6,20	9,80	11,80	15,70	19,60	24,50
IN	18,70	26,00	31,20	39,20	49,00	61,20
POLE	20P - 16,66	20P - 26,53	20P - 31,83	20P - 42,44	20P - 53,05	20P - 66,31
REVOLUTION	100	160	191	255	318	398

PULLEY 320

320 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,20	2,00	2,40	3,10	3,90	4,90
IN	4,40	5,90	6,70	8,30	9,80	12,20
POLE	20P - 12,53	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,79	20P - 49,74
REVOLUTION	76	120	143	191	239	299
400 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,50	2,40	2,90	3,90	4,90	6,10
IN	5,50	7,40	8,30	10,40	12,20	15,30
POLE	20P - 12,53	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,79	20P - 49,74
REVOLUTION	76	120	143	191	239	299
480 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	1,90	2,90	3,50	4,70	5,90	7,30
IN	6,60	8,90	10,00	12,50	14,70	18,40
POLE	20P - 12,53	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,79	20P - 49,74
REVOLUTION	76	120	143	191	239	299
630 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	2,40	3,90	4,60	6,20	7,70	9,60
IN	8,60	11,70	13,10	16,40	19,30	24,10
POLE	20P - 12,53	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,79	20P - 49,74
REVOLUTION	76	120	143	191	239	299
800 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	3,10	4,90	5,90	7,80	9,80	12,20
IN	10,9	14,9	16,6	20,8	24,5	30,60
POLE	20P - 12,66	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,79	20P - 49,74
REVOLUTION	76	120	143	191	239	299
1000 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	3,90	6,10	7,40	9,80	12,20	15,30
IN	13,70	18,60	20,80	26,00	30,60	38,30
POLE	20P - 12,66	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,66	20P - 49,74
REVOLUTION	76	120	143	191	239	299
1275 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	4,90	7,80	9,40	12,50	15,60	19,50
IN	17,40	23,70	26,50	33,20	39,00	48,80
POLE	20P - 12,66	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,66	20P - 49,74
REVOLUTION	76	120	143	191	239	299
1600 KG						
SPEED	0,63	1,00	1,20	1,60	2,00	2,50
POWER	6,20	9,80	11,80	15,70	19,60	24,50
IN	21,90	29,70	33,30	41,60	49,00	61,20
POLE	20P - 12,66	20P - 19,89	20P - 23,87	20P - 31,83	20P - 39,66	20P - 49,74
REVOLUTION	76	120	143	191	239	299

HOMELIFT

500 KG	
SPEED	0,15
TRACTION	140x4x6,5
POWER	0,53
IN	5,70
POLE	20P
REVOLUTION	41
500 KG	
SPEED	0,15
TRACTION	140x4x6,5
POWER	0,53
IN	6,00
POLE	20P
REVOLUTION	36





HOMELIFT BELT

500 KG	
SPEED	0,15
TRACTION	140x3
POWER	0,53
IN	5,70
POLE	20P
REVOLUTION	41
500 KG	
SPEED	0,15
TRACTION	160x3
POWER	0,53
IN	6,00
POLE	20P
REVOLUTION	36







STELVIO

PULLEY 210 - 320 kg







STELVIO

PULLEY 210 - 400 kg







STELVIO

PULLEY 210 - 480 kg



STELVIO






PULLEY 210 - 630 kg









STELVIO

PULLEY 210 - 800 kg




STELVIO

PULLEY 210 - 1000 kg




STELVIO

PULLEY 210 - 1275 kg







STELVIO

PULLEY 210 - 1600 kg







STELVIO

PULLEY 240 - 320 kg







STELVIO

PULLEY 240 - 400 kg







STELVIO

PULLEY 240 - 480 kg



STELVIO




PULLEY 240 - 630 kg









STELVIO

PULLEY 240 - 800 kg







STELVIO

PULLEY 240 - 1000 kg







STELVIO

PULLEY 240 - 1275 kg








STELVIO

PULLEY 240 - 1600 kg







STELVIO

PULLEY 320 - 320, 400, 480 kg







STELVIO

PULLEY 320 - 630/800 kg







STELVIO

PULLEY 320 - 1000 kg







STELVIO

PULLEY 320 - 1275 kg







STELVIO

PULLEY 320 - 1600 kg







STELVIO HOMELIFT

PULLEY 140 - 500 Kg







STELVIO HOMELIFT

PULLEY 160 – 500 Kg







STELVIO HOMELIFT BELT

PULLEY 140 – 500 Kg



STELVIO HOMELIFT BELT

PULLEY 160 – 500 Kg








RESEGONE GEARLESS

PULLEY 400

630 KG			
SPEED	1,00	1,60	2,00
POWER	3,90	6,20	7,70
IN	10,90	15,40	19,30
POLE	30P - 23,87	30P - 38,20	30P - 47,75
REVOLUTION	95	153	191
800 KG			
SPEED	1,00	1,60	2,00
POWER	4,90	7,80	9,80
IN	13,90	19,60	24,50
POLE	30P - 23,87	30P - 38,20	30P - 47,75
REVOLUTION	95	153	191
1000 KG			
SPEED	1,00	1,60	2,00
POWER	6,10	9,80	12,20
IN	17,30	24,50	30,60
POLE	30P - 23,87	30P - 38,20	30P - 47,75
REVOLUTION	95	153	191
1275 KG			
SPEED	1,00	1,60	2,00
POWER	7,80	12,50	15,60
IN	22,10	31,20	39,00
POLE	30P - 23,87	30P - 38,20	30P - 47,75
REVOLUTION	95	153	191
1600 KG			
SPEED	1,00	1,60	2,00
POWER	9,80	15,70	19,60
IN	27,70	39,20	49,00
POLE	30P - 23,87	30P - 38,20	30P - 47,75
REVOLUTION	95	153	191
2000 KG			
SPEED	1,00	1,60	2,00
POWER	12,20	19,60	24,50
IN	34,70	49,00	61,20
POLE	30P - 23,87	30P - 38,20	30P - 47,75
REVOLUTION	95	153	191







RESEGONE

PULLEY 400 - 800 kg



RESEGONE

PULLEY 400 - 1000/1275 kg



OMARLIFT

ELECTRIC DRIVES LINE



MONVISO GEARED


TRAVEL 51 METERS

CAPACITY (KG)	POWER (KW)	PULLEY DIA.	IN	STATIC (KG)	RATIO	
320	4,00	400*4*10	8,40	2500	62/2	SPEED 1,00 M/S
450	4,00	480*5*10	10,50	3500	38/1	
630	5,50	480*5*10	13,50	3500	38/1	
800	7,50	480*5*10	17,50	3500	38/1	
1000	7,50	500*6*10	17,50	4500	39/1	
1125	9,00	500*6*10	21,00	4500	39/1	
1440	11,00	500*7*10	23,00	4500	39/1	
1500	15,00	500*7*10	31,00	4500	39/1	
1840	11,00	580*9*10	23,00	12000	46/1	
2480	15,00	580*8*12	31,00	12000	46/1	
3075	18,50	580*10*12	38,80	12000	46/1	
3680	22,00	580*9*14	44,20	12000	46/1	
4880	18,50	700*12*14	38,80	30000	55/1	
5775	22,00	700*14*14	44,20	30000	55/1	
6880	30,00	700*12*16	60,00	30000	55/1	
9750	37,00	700*16*16	72,00	30000	55/1	
600	5,50	620*5*10	13,50	4500	39/1	SPEED 1,20 M/S
800	7,50	620*6*10	17,50	4500	39/1	
960	9,00	620*6*10	21,00	4500	39/1	
1125	11,00	620*6*10	23,00	4500	39/1	
1400	15,00	620*6*10	31,00	4500	39/1	
1520	11,00	700*7*10	23,00	12000	46/1	
2080	15,00	700*10*10	31,00	12000	46/1	
2560	18,50	700*8*12	38,80	12000	46/1	
3040	22,00	700*10*12	44,20	12000	46/1	
3900	18,50	875*10*14	38,80	30000	55/1	
4640	22,00	875*11*14	44,20	30000	55/1	
5475	30,00	875*13*14	60,00	30000	55/1	
7800	37,00	875*14*16	72,00	30000	55/1	
450	4,00	480*4*10	10,50	3500	48/2	SPEED 1,60 M/S
630	5,50	480*5*10	13,50	3500	48/2	
500	7,50	480*5*10	17,50	3500	48/2	
680	5,50	500*5*10	13,50	4500	49/2	
800	7,50	500*5*10	17,50	4500	49/2	
1000	9,00	500*5*10	21,00	4500	49/2	
1300	11,00	500*6*10	23,00	4500	49/2	
1200	15,00	500*6*10	31,00	4500	49/2	
1650	11,00	580*6*10	23,00	12000	55/2	
2025	15,00	580*8*10	31,00	12000	55/2	
2400	18,50	580*10*10	38,80	12000	55/2	
3225	22,00	580*8*12	44,20	12000	55/2	
3840	18,50	700*10*12	38,80	30000	69/2	
5250	22,00	700*12*12	44,20	30000	69/2	
6480	30,00	700*12*14	60,00	30000	69/2	
7800	37,00	700*14*14	72,00	30000	69/2	



TRAVEL 51 METERS

CAPACITY (KG)	POWER (KW)	PULLEY DIA.	IN	STATIC (KG)	RATIO	
400	5,50	620*4*10	13,50	4500	49/2	SPEED 2,00 M/S
550	7,50	620*5*10	17,50	4500	49/2	
630	9,00	620*5*10	21,00	4500	49/2	
800	11,00	620*6*10	23,00	4500	49/2	
1050	15,00	620*6*10	31,00	4500	49/2	
960	11,00	700*6*10	23,00	12000	55/2	
1360	15,00	700*6*10	31,00	12000	55/2	
1680	18,50	700*8*10	38,80	12000	55/2	
2000	22,00	700*9*10	44,20	12000	55/2	
2560	18,50	875*9*12	38,80	30000	69/2	
3040	22,00	875*10*12	44,20	30000	69/2	
4200	30,00	875*10*14	60,00	30000	69/2	
5200	37,00	875*12*14	72,00	30000	69/2	SPEED 2,40 M/S
320	5,50	500*4*10	13,50	4500	46/3	
400	7,50	500*5*10	17,50	4500	46/3	
525	9,00	500*5*10	21,00	4500	46/3	
640	11,00	500*5*10	23,00	4500	46/3	
880	15,00	500*6*10	31,00	4500	46/3	
750	11,00	580*5*10	23,00	12000	51/3	
1050	15,00	580*6*10	31,00	12000	51/3	
1280	18,50	580*6*10	38,80	12000	51/3	
1575	22,00	580*8*10	44,20	12000	51/3	
2175	18,50	700*10*10	38,80	30000	65/3	
2560	22,00	700*9*12	44,20	30000	65/3	
3525	30,00	700*9*14	60,00	30000	65/3	SPEED 3,20 M/S
4350	37,00	700*10*14	72,00	30000	65/3	
320	7,50	620*4*10	17,50	4500	46/3	
450	9,00	620*4*10	21,00	4500	46/3	
525	11,00	620*5*10	23,00	4500	46/3	
720	15,00	620*5*10	31,00	4500	46/3	
640	11,00	700*5*10	23,00	12000	51/3	
880	15,00	700*6*10	31,00	12000	51/3	
1050	18,50	700*6*10	38,80	12000	51/3	
1280	22,00	700*6*10	44,20	12000	51/3	
1725	18,50	875*9*10	38,80	30000	65/3	
2025	22,00	875*10*10	44,20	30000	65/3	
2800	30,00	875*10*12	60,00	30000	65/3	
3450	37,00	875*9*14	72,00	30000	65/3	

PULLEY 320 - 500 kg






PULLEY 400 - 320 kg








MONVISO

PULLEY 480 - 450, 630, 800 kg



MONVISO





PULLEY 500 - 1000, 1125, 1440, 1500 kg









MONVISO

PULLEY 580 - 1840, 2480, 3075, 3680 kg



MONVISO

PULLEY 700 - 4880, 5775, 6880, 9750 kg





OLIMPO GEARED

TRAVEL 21 METERS

CAPACITY (KG)	POWER (KW)	PULLEY DIA.	IN	STATIC (KG)	RATIO	SPEED 1,00 M/S
630	5,50	480*5*10	13,00	3500	38/1	
800	7,50	480*5*10	17,00	3500	38/1	

TRAVEL 30 METERS

CAPACITY (KG)	POWER (KW)	PULLEY DIA.	IN	STATIC (KG)	RATIO	SPEED 1,00 M/S
400	5,50	480*5*10	13,00	3500	38/1	
500	7,50	480*5*10	17,00	3500	38/1	

TRAVEL 21 METERS





CAPACITY (KG)	POWER (KW)	PULLEY DIA.	IN	STATIC (KG)	RATIO	SPEED 0,70M/S
800	5,50	480*5*10	13,00	3500	52/1	
1000	7,50	480*6*10	17,00	3500	52/1	

TRAVEL 30 METERS

CAPACITY (KG)	POWER (KW)	PULLEY DIA.	IN	STATIC (KG)	RATIO	SPEED 0,70M/S
560	5,50	480*5*10	13,00	3500	52/1	
750	7,50	480*6*10	17,00	3500	52/1	

OLIMPO

PULLEY 480 - 400, 500, 630, 800 kg





OMARLIFT SERVICE



CUSTOMER PORTAL:

- Calculation software
- Automated tracking of the status of goods
- Certificate & test charts download



TECHNICAL SUPPORT:

- Automated system for management technical assistance ticket
- OMARLIFT Mobile App, with help solutions to the most frequent problems
- After sales support



SPARE PARTS E-COMMERCE:

Online platform to easily buy OMARLIFT spare parts. Create your account in a few steps, log-in and discover the wide range of products available in 24/48h. Contact our sales office for more information or ask for our technicians support.

Discover www.omarlift.store



OMARLIFT S.r.l

Via Fratelli Kennedy, 22/D
24060 Bagnatica (Bg) - Italy
Tel.: +39 035 689 611
Fax: +39 035 689 671
www.omarlift.eu

